



# HVACR Brushes & Accessories

## Quality Brushes / Accessories for Heating, Ventilation, Air Conditioning and Refrigeration

The Mill-Rose Company offers the most comprehensive line of boiler and flue brushes in the industry. These brushes are made in the U.S.A. with the highest quality materials and workmanship. Brushes presented here address cleaning all major boilers and other service needs.

For your convenience, these brushes are organized with you in mind. First, determine the type of brush fill you need (wire, nylon, horsehair or tampico). Go to the appropriate listing and select the desired brush size (diameter and overall length). If you require a special brush not shown on the following pages, please contact Customer Service.



### Bristle Types and Characteristics

**Carbon Steel:** An excellent choice for high-strength applications or where high hardness is required. Although it's stronger and more durable than stainless steel, carbon steel may rust and corrode when exposed to moisture.

**Stainless Steel:** An overall good choice for high-strength applications or where cleaning is required. Provides durability and strength, and will not rust or corrode when exposed to moisture.

**Nylon:** Nylon offers a combination of excellent bend recovery, abrasion resistance; flex fatigue resistance and chemical resistance. All nylons absorb water in wet conditions.

**Horsehair:** Produced from either the mane or the stiffer male tail hair, this fiber can accommodate different stiffness and textures as it has a natural taper. It is an excellent choice for polishing, dusting, and sweeping.

**Tampico:** A natural vegetable fiber from the Agave plant that grows in the high country of northern Mexico. This fiber has good resistance to chemicals and is very elastic. In addition, tampico absorbs a lot of water and releases it as the fiber is working.

### Fine-Wire Single Spiral Brushes for Small Boilers, Burners, Nozzles & Fans




Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
01015	Carbon Steel	3/16"	1-1/2"	7"	12	.12 lbs.
01025	Carbon Steel	1/4"	1-1/2"	7"	12	.15 lbs.
01190	Stainless Steel	1/4"	3"	16"	12	.50 lbs.
01208	Stainless Steel	1/4"	3"	24"	12	.70 lbs.
01256	Stainless Steel	1/4"	3"	36"	12	1.00 lbs.
01045	Carbon Steel	3/8"	2"	8"	12	.25 lbs.
01192	Stainless Steel	3/8"	3"	18"	12	.80 lbs.
01210	Stainless Steel	3/8"	3"	24"	12	1.10 lbs.
01258	Stainless Steel	3/8"	3"	36"	12	1.60 lbs.
01060	Stainless Steel	1/2"	2"	8"	12	.25 lbs.
01065	Carbon Steel	1/2"	2"	8"	12	.25 lbs.
01194	Stainless Steel	1/2"	3"	18"	12	1.00 lbs.
01212	Stainless Steel	1/2"	3"	24"	12	1.40 lbs.
01260	Stainless Steel	1/2"	3"	36"	12	2.10 lbs.
01286	Carbon Steel	1/2"	4-1/2"	42"	6	2.40 lbs.
01080	Carbon Steel	5/8"	2-1/2"	9"	12	.50 lbs.
01157	Carbon Steel	5/8"	3-1/2"	16"	12	.90 lbs.
01214	Stainless Steel	5/8"	3-1/2"	24"	12	1.50 lbs.
01262	Stainless Steel	5/8"	3"	36"	12	2.20 lbs.
01100	Carbon Steel	3/4"	2-1/2"	9"	12	.55 lbs.
01198	Stainless Steel	3/4"	3"	18"	12	1.10 lbs.
01216	Stainless Steel	3/4"	3"	24"	12	1.50 lbs.
01264	Stainless Steel	3/4"	3"	36"	12	2.20 lbs.
01399	Carbon Steel	3/4"	4-1/2"	42"	6	2.50 lbs.

## Fine-Wire Single Spiral Brushes for Small Boilers, Burners, Nozzles & Fans - *cont'd.*

Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
01110	Carbon Steel	13/16"	3"	10"	12	.80 lbs.
01120	Carbon Steel	7/8"	3"	10"	12	.80 lbs.
01200	Stainless Steel	7/8"	3"	18"	12	1.20 lbs.
01218	Stainless Steel	7/8"	3"	24"	12	2.00 lbs.
01268	Stainless Steel	7/8"	3"	36"	12	2.80 lbs.
01140	Carbon Steel	1"	3"	10"	12	.80 lbs.
01202	Stainless Steel	1"	3"	18"	12	1.50 lbs.
01220	Stainless Steel	1"	3"	24"	12	2.00 lbs.
01270	Stainless Steel	1"	3"	36"	12	2.80 lbs.
01294	Carbon Steel	1"	4-1/2"	42"	6	2.50 lbs.
01204	Stainless, Steel	1-1/4"	3"	18"	12	1.50 lbs.
01222	Stainless Steel	1-1/4"	3"	24"	12	2.10 lbs.
01272	Stainless Steel	1-1/4"	3"	36"	12	2.90 lbs.
01224	Stainless Steel	1-1/2"	3"	24"	6	1.00 lbs.
01274	Stainless Steel	1-1/2"	3"	36"	6	1.50 lbs.
01398	Carbon Steel	1-1/2"	4-1/2"	42"	6	2.60 lbs.
01226	Stainless Steel	2"	3"	24"	6	1.00 lbs.
01276	Stainless Steel	2"	3"	36"	6	1.50 lbs.
01400	Carbon Steel	2"	4-1/2"	42"	6	2.70 lbs.
01324	Stainless Steel	2"	3"	48"	6	2.90 lbs.
01278	Stainless Steel	2-1/2"	3"	36"	6	1.50 lbs.
01405	Carbon Steel	2-1/2"	4-1/2"	42"	6	2.80 lbs.
01326	Stainless Steel	2-1/2"	4-1/2"	48"	6	3.00 lbs.
01280	Stainless Steel	3"	4-1/2"	36"	6	1.60 lbs.
01410	Carbon Steel	3"	4-1/2"	42"	6	3.00 lbs.
01328	Stainless Steel	3"	4-1/2"	48"	6	3.50 lbs.

## Nylon Tube Brushes for Boilers, Burners, Radiators, Flues, Vents and Nozzles



Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
04882	Nylon Tube Brush	1/4"	2"	6-1/4"	6	.05 lbs.
04883	Nylon Tube Brush	3/8"	2"	6-1/4"	6	.05 lbs.
04884	Nylon Tube Brush	1/2"	3"	8-1/2"	6	.15 lbs.
01445	Nylon Tube Brush	1/2"	4"	30"	6	.80 lbs.
04867	Nylon Tube Brush	3/4"	3"	9"	6	.15 lbs.
04887	Nylon Tube Brush	3/4"	3"	30"	6	.60 lbs.
01450	Nylon Tube Brush	3/4"	4"	30"	6	1.20 lbs.
01470	Nylon Tube Brush	3/4"	4"	36"	6	1.30 lbs.
04888	Nylon Tube Brush	1"	4"	12-1/4"	6	.40 lbs.
01455	Nylon Tube Brush	1"	4"	30"	6	1.20 lbs.
01475	Nylon Tube Brush	1"	4"	36"	6	1.40 lbs.
04890	Nylon Tube Brush	1-1/4"	4"	13"	6	.40 lbs.
04891	Nylon Tube Brush	1-1/2"	4"	13"	6	.50 lbs.
01460	Nylon Tube Brush	1-1/2"	4"	30"	6	1.30 lbs.
01478	Nylon Tube Brush	1-1/2"	4"	36"	6	1.40 lbs.
04892	Nylon Tube Brush	2"	5"	16"	6	.75 lbs.
01520	Nylon Tube Brush	2"	4"	24"	6	1.50 lbs.
39963	Nylon Tube Brush	2"	6-1/5"	27"	6	1.70 lbs.
01481	Nylon Tube Brush	2"	4"	42"	6	2.30 lbs.
01500	Nylon Tube Brush	2-1/4"	4"	36"	6	2.20 lbs.
01538	Nylon Tube Brush	2-1/2"	4"	36"	6	2.20 lbs.
39964	Nylon Tube Brush	3"	6-1/2"	27"	6	1.80 lbs.
01491	Nylon Tube Brush	3"	4"	42"	6	2.50 lbs.

## Horsehair Tube Brushes for Boilers, Burners, Radiators, Flues, Vents and Nozzles




Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
04850	Horsehair	1/4"	2"	6-1/4"	6	.05 lbs.
04856	Horsehair	3/8"	3"	9"	6	.15 lbs.
04860	Horsehair	1/2"	3"	9"	6	.15 lbs.
04964	Horsehair	1/2"	3"	12"	6	.10 lbs.
04962	Horsehair	1/2"	3"	18"	6	.30 lbs.
04970	Horsehair	1/2"	3"	24"	6	.50 lbs.
01836	Horsehair	1/2"	3"	36"	6	.70 lbs.
01837	Horsehair	1/2"	7"	42"	6	1.20 lbs.
04865	Horsehair	3/4"	3"	9"	6	.15 lbs.
04965	Horsehair	3/4"	3"	12"	6	.25 lbs.
17415	Horsehair	7/8"	7"	27"	6	1.00 lbs.
17419	Horsehair	7/8"	7"	40"	6	1.50 lbs.
04870	Horsehair	1"	5"	12-1/2"	6	.30 lbs.
04900	Horsehair	1"	5"	16"	6	.50 lbs.
04875	Horsehair	1-1/4"	4"	13"	6	.50 lbs.
04905	Horsehair	1-1/4"	5"	16"	6	.60 lbs.
39924	Horsehair	1-1/4"	7"	30"	6	1.50 lbs.
04878	Horsehair	1-1/2"	4"	12"	6	.50 lbs.
04910	Horsehair	1-1/2"	5"	16"	6	.60 lbs.
01388	Tampico	1-1/2"	4-1/2"	42"	6	2.50 lbs.
04880	Horsehair	2"	5"	16"	6	1.2 lbs.
39961	Tampico	2"	6-1/2"	27"	12	4.30 lbs.
01480	Tampico	2"	7"	42"	24	13.00 lbs.
39920	Horsehair	2-1/4"	7"	30"	6	2.50 lbs.
39960	Tampico	2-1/2"	6-1/2"	27"	12	4.50 lbs.
39962	Tampico	3"	6-1/2"	27"	12	2.40 lbs.
39921	Horsehair	3"	7"	30"	6	1.60 lbs.
01490	Tampico	3"	7"	42"	12	7.00 lbs.
01492	Tampico	4"	6-1/2"	42"	12	4.50 lbs.

## Polished Tampico Boiler & Flue Brushes


All brushes are a select grade of polished tampico (slightly stiffer and more durable).

Cat #	Brush Dia.	Brush Part	OAL	Std. Pkg.	Wgt/Pkg.
39971	2"	6"	27"	6	1.8 lbs.
39973	2"	6"	42"	6	2.7 lbs.
39975	3"	6"	27"	6	2.0 lbs.
39977	3"	6"	42"	6	3.0 lbs.




## Peerless Specialty Boiler Brushes

Cat #	Brush Dia.	Brush Part	OAL	Std. Pkg.	Wgt/Pkg.
84204	1-1/2" x 3/4"	3"	30"	24	5.4 lbs.




## Columbia Specialty Boiler Brushes



Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
01271	Flat - Light Duty	1/2" x 1"	3"	36"	12	2.8 lbs.
84006	Flat	1/2" x 1"	5"	27"	24	8.0 lbs.
84007	Flat	1/2" x 1"	5"	48"	12	6.0 lbs.

## Weil McLain Specialty Boiler Brushes



Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
84200	Light Duty, Steel	1 1/2" x 1 1/8"	3"	30"	24	5.4 lbs.
84201	Heavy Duty, Horsehair	1 1/2" x 1 1/8"	3"	30"	6	1.8 lbs.
84202	Heavy Duty, Gold Series Original	1 1/2" x 1 1/8"	3"	36"	12	5.0 lbs.
84203	Heavy Duty, Gold Series	1 1/2" x 1 1/8"	3"	42"	12	4.8 lbs.
84205	Heavy Duty, Gold Series	1 1/2" x 1 1/8"	3"	30"	24	8.0 lbs.
84207	Light Duty, Horsehair Very Flexible	1 1/2" x 1 1/8"	3"	24"	6	.5 lbs.
84208	Ultra Oil Series	3"	3"	42"	12	5.2 lbs.
84210	Steel	1 1/2" x 1 1/8"	3"	42"	12	3.6 lbs.
84211	Horsehair	1 1/2" x 1 1/8"	3"	42"	6	2.4 lbs.

Heavy Duty = Heavier twisted stem with less flex. Light Duty = Lighter twisted stem with more flex.

## Slant Fin Specialty Boiler Brushes



Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
84009	Tapered Boiler Brush	2-1/4"	4"	20"	12	2.2 lbs.
84011	Tapered Heavy Brush	2-1/4"	4"	20"	12	2.5 lbs.

## Tapered Specialty Boiler Brushes



Cat. #	Description	Diameter	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
84219	Tampico-Taper	3/8" - 7/8"	5"	24"	6	2.5 lbs.
84023	Tampico-Taper	1-7/8" - 1-1/8"	7"	30"	6	1.2 lbs.
84027	Horsehair-Taper	1-7/8" - 1-1/8"	7"	42"	12	4.0 lbs.
84028	Horsehair-Taper	1-7/8" - 1-1/8"	7"	30"	6	1.2 lbs.
84029	Horsehair-Taper	1/2" - 1"	7"	42"	6	1.2 lbs.
84212	Horsehair-Taper	1/2" - 1"	7"	36"	6	1.3 lbs.
84214	Horsehair-Taper	1/2" - 1"	7"	30"	6	1.2 lbs.
84215	Tampico-Taper	1/2" - 1"	7"	30"	6	1.2 lbs.
84216	Horsehair-Taper	1/2" - 1"	7"	21"	6	1.0 lbs.
04960	Horsehair-Taper	3/4" - 1-1/4"	5"	12"	6	1.0 lbs.
04961	Horsehair-Taper	3/4" x 1-1/4"	3"	17"	6	.4 lbs.

## Horsehair Brush for Radiators



Cat. #	Description	Brush Part	Overall Length	Std. Pkg.	Wgt./Pkg.
39919	Wood Handle Horsehair Radiator Brush	1-Row	24"	12	4.5 lbs.

## Heavy-Duty Cleaning Brushes for Furnace Flues and Chimneys



Multi-purpose brushes useful for a variety of cleaning jobs. (1/4" NPT Connectors)

Cat. #	Description	Dimensions	Std. Pkg.	Wgt./Pkg.
<b>U-Shaped Cleaning Brushes</b>				
84106	Double Stem, U-Shape Wire Flue Brush	1-1/2" x 4" x 5"	6	2.9 lbs.
84108	Double Stem, U-Shape Wire Flue Brush	1-3/4" x 4" x 5-1/2"	6	3.8 lbs.
84110	Double Stem, U-Shape Wire Flue Brush	2" x 4-1/2" x 5"	6	5.0 lbs.
84112	Double Stem, U-Shape Wire Flue Brush	3-1/2" x 6" x 6-1/2"	6	6.0 lbs.
84032	Oval Shape Wire Flue Brush	2" x 4" x 4-1/2"	6	5.0 lbs.
84034	Oval Shape Wire Flue Brush	2-1/2" x 4-1/2" x 4-1/2"	6	6.0 lbs.
84052	Oval Shape Wire Flue Brush	3" x 5" x 4-1/2"	6	6.0 lbs.
84054	Double Stem, Double Spiral Oval Shape Wire Flue Brush	3" x 4" x 4-1/2"	6	6.0 lbs.
<b>Flat Wire Cleaning Brushes</b>				
84008	Flat Fine Wire Baffle Brush (5/16-18 internal thread 1/8"NPT)	3/8" x 1"	6	0.9 lbs.
84026	Flat Fine Wire Baffle Brush	1/2" x 2"	6	1.9 lbs.
84033	Flat Fine Wire Baffle Brush	3/4" x 3"	6	2.3 lbs.
84066	Flat Fine Wire Baffle Brush	7/8" x 4"	6	2.7 lbs.

## Extension Rods and Accessories for Flue, Boiler and Chimney Cleaning Brushes



Standard rods & brushes have a 1/4" NPT self-connect, .34" dia. ext. rod.  
Heavy-duty rods & brushes have a 3/8" NPT self-connect, .44 dia. ext. rod.


Cat. #	Description	Length	Std. Pkg.	Wgt./Pkg.
30002	3' Standard Fiberglass Extension Rod	3'	6	2.5 lbs.
30004	3' Standard Fiberglass Extension Rod - Bulk-Pack, 24	3'	1	10.0 lbs
30021	4' Standard Fiberglass Extension Rod	4'	6	2.6 lbs.
30022	4' Standard Fiberglass Extension Rod with T-handle Display Six-Pack	4'	1	2.8 lbs.
30023	4' Standard Fiberglass Extension Rod - Bulk-Pack, 24	4'	1	10.4 lbs.
30061	6' Standard Fiberglass Extension Rod	6'	4	3.0 lbs.
30071	6' Standard Fiberglass Extension Rod - Bulk-Pack, 24	6'	1	18.0 lbs.
30003	3' Standard Twisted Wire Extension Handle/Loop Handle	3'	6	4.3 lbs.
30007	3' Standard Twisted Wire Extension Rod	3'	6	4.6 lbs.
30009	3' Standard Twisted Wire Extension Rod - Bulk-Pack, 24	3'	1	17.2 lbs.
30031	4' Standard Twisted Wire Extension Rod	4'	6	4.9 lbs.
30033	4' Standard Twisted Wire Extension Rod - Bulk-Pack, 24	4'	1	19.6 lbs.
30064	6' Standard Twisted Wire Extension Rod	6'	4	7.9 lbs.
30073	6' Standard Twisted Wire Extension Rod - Bulk-Pack, 24	6'	1	47.4 lbs.
30015	3' Heavy-Duty Fiberglass Extension Rod	3'	6	3.0 lbs.
30035	4' Heavy-Duty Fiberglass Extension Rod	4'	4	2.4 lbs.
30065	6' Heavy-Duty Fiberglass Extension Rod	6'	4	4.0 lbs.
70010	1/4" NPT Eye Socket Nipple, Bulk	---	12	1.2 lbs.
70016	3/8" NPT Heavy-Duty Eye Socket Nipple	---	12	.65 lbs.
70030	3/8" - 1/4" NPT Reducer	---	12	1.2 lbs.
70031	1/4"-1/8" NPT Reducer	---	12	1.0 lbs.
70764	Creosote and Shelf Scraper 6" x 3-1/2", Display Bag	---	6	3.0 lbs.
70766	Extension Rod T-Handle 4" x 2-1/2", Display Bag	---	6	2.25 lbs.

**Note:** Exercise caution when working near electrical outlets and wires as metal brushes and steel extension rods conduct electricity.

## #6500 Series Condenser Tube/Heat Exchanger Brushes & Accessories

Mill-Rose offers a complete line of condenser tube and heat exchanger brushes. Available in four bristle materials: High Carbon Steel, Stainless Steel, Brass and Nylon. Bristle sizes are graduated from .008" on small diameter brushes, to .010" on larger sizes to provide consistent cleaning power.

The 1/4" diameter brushes are mounted on a 3/16" diameter coupling with a 8-32 external thread. All brushes from 3/8" diameter to 3" have a 1 1/32" diameter coupling with a 5/16-18 internal thread and 1/8" NPT outside. There is no O.D. thread on 3/8" brushes. Shank length is 2". Adapters are also available to accommodate other standard thread sizes.



**Nylon brushes** are ideal for removing soft and light deposits like mud, silt and biological growth in heat exchanger tubes. Nylon brushes are suitable for removing microbiological growth in chiller tubes.

**Brass brushes** are useful for removing scale and sediment in heat exchanger tubes. They are also suitable for removing rust and debris in chiller tubes.

**Stainless steel brushes** are effective for removing tough deposits such as scale and sediment in ferrous heat exchanger tubes. They are also suitable for removing rust and debris in ferrous chiller tubes.

**Wire brushes** are effective for removing scale sediment, rust, and debris in ferrous heat exchanger tubes. They are also suitable for removing soot, ash, and slag deposits in boiler tubes.

Individually boxed with UPC and sizes clearly indicated.

### 1/4" Condenser Tube Brushes with 8/32 Threaded Female Coupling

CATALOG NUMBER	Brush H/C Steel	Brush Stainless	Brush Brass	Brush Nylon	Overall Diameter	Wire Length	Standard Length	Weight/Size	Pack	Package
65500		65502	65504	65506	1/4"	2-1/4"	3-1/4"	.006	6	.06 lbs.

Individually boxed with UPC and sizes clearly indicated.


### CONDENSER TUBE BRUSHES - 1/8 NPT Outside - 5/16-18 Internal Thread

CATALOG NUMBER	Brush H/C Steel	Brush Stainless	Brush Brass	Brush Nylon	Overall Diameter	Wire Length	Standard Length	Weight/Size	Pack	Package
65020		65135	65250	65365	3/8"	4-1/2"	7-1/2"	.008	1	.14 lbs.
65025		65140	65255	65370	7/16"	4-1/2"	7-1/2"	.008	1	.14 lbs.
65030*		65145*	65260	65375*	1/2"	4-1/2"	7-1/2"	.008	1	.14 lbs.
65035		65150	65265	65380	9/16"	4-1/2"	7-1/2"	.008	1	.15 lbs.
65040*		65155	65270*	65385*	5/8"	4-1/2"	7-1/2"	.008	1	.15 lbs.
65045		65160	65275	65390	11/16"	4-1/2"	7-1/2"	.008	1	.16 lbs.
65050		65165	65280	65395	3/4"	4-1/2"	7-1/2"	.008	1	.16 lbs.
65055		65170	65285	65400	13/16"	4-1/2"	7-1/2"	.008	1	.17 lbs.
65060		65175	65290	65405	7/8"	4-1/2"	7-1/2"	.010	1	.17 lbs.
65065		65180	65295	65410	15/16"	4-1/2"	7-1/2"	.010	1	.18 lbs.
65070*		65185*	65300	65415*	1"	4-1/2"	7-1/2"	.010	1	.20 lbs.
65075		65190	65305	65420	1-1/8"	4-1/2"	7-1/2"	.010	1	.20 lbs.
65080		65195	65310	65425*	1-1/4"	4-1/2"	7-1/2"	.010	1	.22 lbs.
65085		65200	65315	65430	1-3/8"	4-1/2"	7-1/2"	.010	1	.23 lbs.
65090		65205	65320	65435	1-1/2"	4-1/2"	7-1/2"	.010	1	.24 lbs.
65095		65210	65325	65440	1-5/8"	4-1/2"	7-1/2"	.010	1	.25 lbs.
65100		65215	65330	65445	1-3/4"	4-1/2"	7-1/2"	.010	1	.28 lbs.
65105		65220	65335	65450	1-7/8"	4-1/2"	7-1/2"	.010	1	.28 lbs.
65110		65225	65340	65455	2"	4-1/2"	7-1/2"	.010	1	.30 lbs.
65115		65230	65345	65460	2-1/4"	4-1/2"	7-1/2"	.010	1	.32 lbs.
65120		65235	65350	65465	2-1/2"	4-1/2"	7-1/2"	.010	1	.34 lbs.
65125		65240	65355	65470	2-3/4"	4-1/2"	7-1/2"	.010	1	.36 lbs.
65130		65245	65360	65475	3"	4-1/2"	7-1/2"	.010	1	.40 lbs.

\*No O.D. Thread on 3/8" brushes.

\*Most popular items - Suggested Stock

## 3/8" to 3" Condensor Tube Brush Accessories



Cat. #	Description	Std. Pkg.	Wgt/Pkg.
<b>Extension Rods</b>			
65000	3' Fiberglass extension rod 5/16-18 with "T" handle	6	1.6 lbs.
65002	3' Steel extension rod, 5/16" dia.	6	6.0 lbs.
65010	2' Fiberglass ext. rod 5/16-18 1/8" NPT	6	1.0 lbs.
65015	3' Fiberglass ext. rod 5/16-18 1/8" NPT	6	1.25 lbs.
65018	3' Fiberglass ext. rod w/T-handle (6/Pk)	1	1.71 lbs.
65016	4' Fiberglass ext. rod 5/16-18 1/8" NPT	6	1.5 lbs.
65017	6' Fiberglass ext. rod 5/16-18 1/8" NPT	6	1.9 lbs.
<b>Accessories</b>			
65001	"T" handle for fiberglass extension rod	6	.4 lbs.
<b>Tube Crossover Adapters</b>			
65003	M/R brush adapter to comp. rod (5/16-18 male brush to 12-24 female rod)	6	.3 lbs.
65004	M/R rod adapter to comp. brush (12-24 male brush to 5/16-18 female rod)	6	.3 lbs.
65007	M/R brush adapter to power condenser cleaning machine	6	1.0 lbs.

**Note:** Exercise caution when working near electrical outlets and wires as metal brushes and steel extension rods conduct electricity.

## Fin Comb and Coil Whisk



Cat. #	Description	Std. Pkg.	Wgt/Pkg.
73610	6-3/4" Fin & Coil Whisk	12	.8 lbs.
73620	Fin Comb Scraping Tool (Adjustable)	12	1.5 lbs.

Fin comb cleans fins and restores bent fins to normal position. Small whisk type brush features stiff polypropylene bristles firmly imbedded in plastic handle. Ideal for cleaning in between small fins and coils. Display packaged with UPC clearly indicated.

## Refrigeration Coil Cleaning / Lint Trap Brushes



Cat. #	Description	Std. Pkg.	Wgt/Pkg.
01390	5/8" - 1-5/8" Tapered Diameter, Horsehair, 32" OAL, Wood Handle, Display Package	12	3.60 lbs.
01392	5/8" - 1-5/8" Tapered Diameter, Horsehair, 29" OAL, Plastic Handle, Coated Stem, Display Package	12	3.24 lbs.
01394	3/4" - 1-5/8" Double Stepped Diameter, Synthetic 26" OAL, Wood Handle, Display Package	12	4.80 lbs.
84377	3/4" - 1-3/4" Tapered Diameter, Synthetic 30" OAL, Plastic Handle, Display Package	12	3.30 lbs.

These maintenance brushes can be used to remove lint from your dryer where the lint screen is in the front or to clean your refrigerator coils. Cleaning your refrigerator's coils is a part of regular maintenance for most refrigerators. Using the coil brush once a month to remove dust

and other airborne particles on your refrigerator's condenser coils can save energy, ensure proper performance, and extend the life of your refrigerator. These coil brushes have soft bristles that will not harm the coils.

*See Dryer Vent Tube Cleaning Brushes in Chimney Brush section.*

## Soot Saw



Ideal for heavy-duty soot and creosote removal from commercial and residential boilers. The perfect tool when brushes just don't do the job.


Cat. #	Description	Std. Pkg.	Wgt/Pkg.
70707	Soot Saw	10	10.0 lbs.

Features plastic handle and heavy-gauge galvanized steel with serrated edge that cuts through soot and creosote fast. 32" overall length.



# HVACR Brushes & Accessories

## Flue & Boiler Tube Brushes Black Oil Tempered Wire - 1/4" NPT



Quality flue and boiler tube brushes designed and engineered from durable black oil-tempered wire. Available in two standard constructions: single spiral #8300 Series and double-spiral #8400 Series. Brushes below have an overall length of 8" and brush length of 4-1/2". Individually packaged with unit size and UPC.

Single Spiral	Double Spiral	Brush Dia.	Flue Dia.	Brush Length	Overall Length	Std. Pack	Wgt./Pkg.
**83002	84002	1/2"	3/4"	4-1/2"	8"	1	1.2 lbs.
83005	84005	3/4"	1"	4-1/2"	8"	1	1.5 lbs.
83010	84010	1"	1-1/4"	4-1/2"	8"	1	1.5 lbs.
83015	84015	1-1/4"	1-1/2"	4-1/2"	8"	1	1.5 lbs.
83020	84020	1-1/2"	1-3/4"	4-1/2"	8"	1	1.5 lbs.
83025	84025	1-3/4"	2"	4-1/2"	8"	1	1.5 lbs.
83030	84030	2"	2-1/4"	4-1/2"	8"	1	2.0 lbs.
83035	84035	2-1/4"	2-1/2"	4-1/2"	8"	1	2.0 lbs.
83040	84040	2-1/2"	2-3/4"	4-1/2"	8"	1	2.0 lbs.
83045	84045	2-3/4"	3"	4-1/2"	8"	1	2.5 lbs.
83050	84050	3"	3-1/4"	4-1/2"	8"	1	2.5 lbs.
83055	84055	3-1/4"	3-1/2"	4-1/2"	8"	1	3.0 lbs.
83060	84060	3-1/2"	3-3/4"	4-1/2"	8"	1	3.0 lbs.
83065	84065	3-3/4"	4"	4-1/2"	8"	1	3.2 lbs.
83070	84070	4"	4-1/4"	4-1/2"	8"	1	3.2 lbs.

\*\* Brushes made with 1/8" NPT - reference Condenser Tube Accessory section for rods

## Flue & Boiler Tube Brushes Fiber Fill - 1/4" NPT

When ordering, be sure to .  
either the actual brush size  
or the OD of the tube to be



Single Spiral	Brush Diameter	Flue Diameter	Brush Length	Overall Length	Std. Pack	Wgt./Pkg.
84810	1"	1-1/4"	4-1/2"	8"	1	1.5 lbs.
84815	1-1/4"	1-1/2"	4-1/2"	8"	1	1.5 lbs.
84820	1-1/2"	1-3/4"	4-1/2"	8"	1	1.5 lbs.
84830	2"	2-1/4"	4-1/2"	8"	1	1.5 lbs.
84835	2-1/4"	2-1/2"	4-1/2"	8"	1	1.5 lbs.
84840	2-1/2"	2-3/4"	4-1/2"	8"	1	1.5 lbs.
84845	2-3/4"	3"	4-1/2"	8"	1	1.7 lbs.
84850	3"	3-1/4"	4-1/2"	8"	1	2.0 lbs.
84860	3-1/2"	3-3/4"	4-1/2"	8"	1	2.0 lbs.
84870	4"	4-1/4"	4-1/2"	8"	1	2.0 lbs.
84880	5"	5-1/4"	4-1/2"	8"	1	2.4 lbs.
84890	6"	6-1/4"	4-1/2"	8"	1	2.6 lbs.
84900	7"	7-1/4"	4 1/2"	8"	1	3.0 lbs.
84910	8"	8-1/4"	4 1/2"	8"	1	3.6 lbs.
84920	9"	9-1/4"	4 1/2"	8"	1	4.1 lbs.
84930	10"	10-1/4"	4 1/2"	8"	1	4.4 lbs.

7310 Corporate Blvd., Mentor, OH 44060

To order call toll-free: 1-800-321-3598 or Fax (440) 255-1072

Visit our web site at [www.CleanFit.com](http://www.CleanFit.com) • e-mail: [info@CleanFit.com](mailto:info@CleanFit.com)